

# Contents

# Page

Exercise 1: Using AND, OR, and NOT functions	1
Exercise 2: Using the IF function	<u>)</u>
Exercise 3: More practice with the IF function	3
Exercise 4: IF function practice (from the Proficiency Exercises)	1
Exercise 5: Building and using a Nested IF statement	5
Exercise 6: IF, MIN, and SUMPRODUCT	5
Exercise 7: Write a formula for multiple conditions	3

### Using Logical Functions in Modeling



**Exercise 1. Using Excel's AND, OR, and NOT Functions** File: LogicPractice.xls, Worksheet: "AND OR NOT"

	А
1	The Data
2	15
3	9
4	8

A. Write an AND formula to determine if A2>A3 and A2<A4 is a true or false statement.

B. Write an OR formula to determine if A2>A3 or A2<A4 is a true or false statement.

C. Write a formula that expresses that A2+A3=24 is a false statement.



	А
1	The Data
2	50

- A. Write an IF statement so that if the number in Cell A2 is less than 100 the formula displays the text "Within budget", otherwise the formula displays the text "Over budget".
- B. Write an IF statement so that if the number in Cell A2 is 100 then the formula sums the range B5:B15. Otherwise, the formula returns a blank (empty text).



Exercise 3. More Practice with IF Functions

File: LogicPractice.xls, Worksheet: "IF Scores"

	А
1	Scores
2	45
3	90
4	78

If Score is	Then return
Greater than 89	А
From 80 to 89	В
From 70 to 79	C
From 60 to 69	D
Less than 60	F

A. Write an IF statement to assign a letter grade to the score in Cell A2.

B. Write an IF statement to assign a letter grade to the score in Cell A3.

C. Write an IF statement to assign a letter grade to the score in Cell A4.



**Exercise 4. IF Function Practice (from the Proficiency Exercises)** File: LogicPractice.xls, Worksheet: "Olive Oil Logic -1"

Olive oil can be purchased according to this price schedule:

	Α	В
1	Cost/gallon for the first 500 gallons	\$23
2	Cost/gallon for gallons above 500	\$20
3	Number of gallons:	
4	10	
5	483	
6	500	
7	1,600	

Write IF statements to calculate the cost of the quantities of olive oil listed in Cells A5, A6, and A7 above. (See a sample formula to calculate the cost of 10 gallons (A4) below.)

The syntax of Excel's IF function is: =IF(condition-to-test, value-if-condition-true, value-if-condition-false)						
=IF(A4<=500,B1* A4, 500*B1+(A4-500)*B2) See the footnote on th						

A. Write a formula to find the cost of 483 gallons.

B. Write a formula to find the cost of 500 gallons.

C. Write a formula to find the cost of 1,600 gallons.

**Note:** It's always a good idea to use cell references instead of constant values in formulas. For the examples here, however, I've used some constants to make the formulas easier to read and understand.



Exercise 5. Building & Using a Nested IF Statement

File: LogicPractice.xls, Worksheet: "Olive Oil Logic -2"

We've modified the olive oil price schedule to give an additional price break for quantities over 1,000 gallons. The new pricing schedule is:

	Α	В
1	Cost/gallon for the first 500 gallons	\$23
2	Cost/gallon for next 500 gallons	\$20
3	Cost/gallon for gallons > 1,000	\$15
4		
5	1600	
6	483	
7	2001	

Write two formulas using nested IF statements to calculate the cost of the quantities of olive oil listed in Cell A6 (483 gallons) and Cell A7 (2,001 gallons) above.

An Excel nested IF function can be written with this syntax: =IF(condition-to-test, IF(condition-to-test, value-if-condition-true, value-if-condition-false), value-if-condition-true, value-if-condition-false)

For example, one formula to find the cost for 1,600 gallons is:

=IF(A5<=500,A5\*\$B\$1,IF(A5<=1000,(500\*\$B\$1)+(A5-500)\*\$B\$2,(500\*\$B\$1)+(500\*\$B\$2)+(A5-1000)\*\$B\$3))

A. Write a formula to find the cost of 483 gallons.

B. Write a formula to find the cost of 2,001 gallons.

	בטצוררו מרו			ur Eugic	с-			
e price sched antities (Cell	lule for ol s G6 thro	ive oil is the s ugh I6) have a	ame but the Iready beer	: data lay 1 calculat	/out has changed, as ted. The answers are	illustrated below. In in Cells G12:112.	this view, the costs	or each of the
8	U	0	ш	L	G	I	_	
					1600	483	2001	
					gallons	gallons	gallons	
Price Sch	iedule:				gals/price level	gals/price level	gals/price level	
) first	500	gallons at	\$ 23.0	0	500	483	500	
o next	500	gallons at	\$ 20.0	0	500	0	500	
any additi	ional	gallons at	\$ 15.0	0	600	0	1001	
~				Cost	\$ 30,500.00	\$ 11,109.00	\$ 36,515.00	
tite formulas antities of oli	that use t ive oil list	the MIN funct ed in Cells H6	ion, the IF f (483 gallor	unction is) and Id	(nested), and the SUI 6 (2,001 gallons), abo	MPRODUCT functic ve.	n to calculate the co	st of the
syntax of Ex	cel's MIN	function is: =MI	N(number1,	number2	(;			
e way to write 1e-if-conditio	e Excel's ne n-true, val	ested IF functio lue-if-condition	n is: =IF(con -false)	dition-to	-test, IF(condition-to-t	est, value-if-conditio	n-true, value-if-condit	on-false),

#### Exercise 6, Continued

B C		D		E	F	G
						1600
						gallons
Price Schedule:						gals/price level
first 500		gallons at	\$	23.00		500
next 500		gallons at	\$	20.00		500
any additional		gallons at	\$	15.00		600
					Cost	\$ 30,500.00
F f r	Price Sci irst next any addi	Price Schedule: irst 500 next 500 any additional	Price Schedule: irst 500 gallons at next 500 gallons at any additional gallons at	Price Schedule: irst 500 gallons at \$ next 500 gallons at \$ any additional gallons at \$	Price Schedule: irst 500 gallons at \$ 23.00 next 500 gallons at \$ 20.00 any additional gallons at \$ 15.00	Price Schedule: irst 500 gallons at \$ 23.00 next 500 gallons at \$ 20.00 any additional gallons at \$ 15.00 Cost

For example, formulas to calculate the cost of 1,600 gallons are located below in Cells G9, G10, G11, and G12.

	Α	В	С	D	E	F	G
6							1600
7							gallons
8							gals/price level
9		First	500	gallons at	23		=MIN(G\$6, \$C\$9)
10		Next	500	gallons at	20		=MAX(IF(G\$6<\$C\$9+\$C\$10,G\$6-\$C\$9,\$C\$10),0)
11		Any	additional	gallons at	15		=IF(G\$6>1000, G\$6-1000, 0)
12						Cost:	=SUMPRODUCT(\$E\$9:\$E\$11, G9:G11)

A. Write the four formulas to calculate the cost of 483 gallons.

B. Write the four formulas to calculate the cost of 2001 gallons.

More Logic Practice



File name: MoreLogicPractice.xls

#### More Logic Practice on Paper - Writing a Formula to Account for Multiple Conditions



Exercise 7. Calculate Employee Retirement & Health Plan

File: MoreLogicPractice.xls, Worksheet: "Benefit Calculations"

A company contributes to each eligible employee's retirement plan at the rate of 4% of the employee's annual salary. However, to be eligible for this benefit, an employee must have full-time status with two or more years of employment. A calculation for the retirement contribution requires a test of two conditions: Full- or part-time status and number of years of employment. A graphical view of the conditions to test might look like this illustration:



There are three retirement contribution possibilities to account for:

- An employee works full time AND has been employed two or more years. The retirement benefit applies.
- An employee works full time but has NOT been employed two or more years. The retirement benefit does not apply.
- An employee does NOT work full time. The retirement benefit does not apply.

You can account for these three possibilities in a single formula. Write your formula using logical functions. There's more than one way to write this formula. For example, you might use both the IF and AND statements or you could express the same thing with a nested IF statement.

	В	С	D	E	F	G	Н
		Employmt.	Health		Hire	# Years	Retirement
8	Name	Status	Plan	Salary	Date	Employed	Contribution
9	Gopnik	part time	family	\$45,000	Jan-98	5	
10	Mahfouz	full time	family	\$120,000	May-89	13	
11	Bryson	full time	individual	\$145,000	Mar-O1	2	
12	Peters	full time	individual	\$100,000	Nov-00	2	
13	deVries	full time	individual	\$115,000	Jul-97	5	
14	Talento	part time	family	\$55,000	Aug-95	7	
15	Yang	full time	other plan	\$95,000	Apr-99	4	
16	Marks	part time	family	\$15,000	May-01	1	
17	Heller	full time	family	\$124,000	Oct-00	2	

A. Write the formula to calculate the Retirement Contribution for Gopnik. You should be able to copy this formula down the column to get valid values for employees Mahfouz through Heller.

The company supplies two health plan options:

- Up to \$10K of annual coverage for employees who choose the family plan.
- Up to \$8K of annual coverage for employees who choose the individual plan.

These benefits do not apply if the employee or employee-and-family is already covered by some other health plan. A calculation for health insurance requires a test of three conditions: Individual, Family, Already Covered. A graphical view of the conditions to test might look like this illustration that follows.



	В	С	D	E	F	G	Н	
		Employmt.	Health		Hire	# Years	Retirement	
8	Name	Status	Plan	Salary	Date	Employed	Contribution	Health Plan Cost
9	Gopnik	part time	family	\$45,000	Jan-98	5	\$0	
10	Mahfouz	full time	family	\$120,000	May-89	13	\$4,800	
11	Bryson	full time	individual	\$145,000	Mar-01	2	\$5,800	
12	Peters	full time	individual	\$100,000	Nov-00	2	\$4,000	
13	deVries	full time	individual	\$115,000	Jul-97	5	\$4,600	
14	Talento	part time	family	\$55,000	Aug-95	7	\$0	
15	Yang	full time	other plan	\$95,000	Apr-99	4	\$3,800	
16	Marks	part time	family	\$15,000	May-01	1	\$0	
17	Heller	full time	family	\$124,000	Oct-00	2	\$4,960	

B. Write the formula to calculate the Health Plan Cost for Gopnik. You should be able to copy this formula down the column to get valid values for employees Mahfouz through Heller.